

name	method	nsnp		OR (95% CI)	pval
family.Actinomycetaceae.id.421	MR Egger	5		2.869 (0.373 to 22.092)	0.386
	MR IVW	5		2.552 (1.163 to 5.601)	0.019
	Simple mode	5		2.218 (0.584 to 8.420)	0.307
	Weighted median	5		2.138 (0.767 to 5.965)	0.146
	Weighted mode	5		2.135 (0.613 to 7.435)	0.299
	MR Egger	20		1.167 (0.171 to 7.948)	0.877
	MR IVW	20		1.961 (1.057 to 3.637)	0.033
	Simple mode	20		1.331 (0.283 to 6.252)	0.721
	Weighted median	20		2.034 (0.870 to 4.756)	0.101
	Weighted mode	20		1.219 (0.295 to 5.043)	0.787
	MR Egger	5		21.339 (0.150 to 3032.135)	0.313
	MR IVW	5		0.539 (0.312 to 0.931)	0.027
	Simple mode	5		0.372 (0.129 to 1.073)	0.141
	Weighted median	5		0.433 (0.212 to 0.886)	0.022
	Weighted mode	5		0.367 (0.115 to 1.169)	0.165
	MR Egger	9		4.966 (0.994 to 24.802)	0.092
genus.Clostridiumsensustricto1...	MR IVW	9		2.117 (1.024 to 4.378)	0.043
	Simple mode	9		3.041 (0.744 to 12.424)	0.160
	Weighted median	9		3.065 (1.200 to 7.825)	0.019
	Weighted mode	9		3.197 (1.019 to 10.026)	0.081
	MR Egger	11		1.448 (0.157 to 13.377)	0.752
	MR IVW	11		1.686 (1.047 to 2.718)	0.032
	Simple mode	11		1.090 (0.402 to 2.952)	0.869
	Weighted median	11		1.290 (0.694 to 2.397)	0.421
	Weighted mode	11		1.090 (0.402 to 2.952)	0.869
	MR Egger	13		0.324 (0.023 to 4.570)	0.421
	MR IVW	13		2.175 (1.073 to 4.409)	0.031
	Simple mode	13		1.221 (0.239 to 6.225)	0.814
	Weighted median	13		1.627 (0.624 to 4.245)	0.320
	Weighted mode	13		1.221 (0.230 to 6.480)	0.819
	MR Egger	5		2.882 (0.373 to 22.243)	0.385
	MR IVW	5		2.557 (1.164 to 5.616)	0.019
order.Actinomycetales.id.420	Simple mode	5		2.222 (0.592 to 8.339)	0.302
	Weighted median	5		2.145 (0.800 to 5.747)	0.129
	Weighted mode	5		2.130 (0.659 to 6.881)	0.275

0.0201 1 3107.94